



Self Seal GG-200

SECTION 1. IDENTIFICATION

Product Identifier	Self Seal GG-200
Other Means of Identification	Firestop Sealant
Recommended Use	Gun grade silicone firestop sealant.
Restrictions on Use	None known.
Manufacturer	NUCO Inc., 150 Curtis Dr., Guelph, Ontario, N1K 1N5, Canada, (519) 823-4994, www.sealantcentre.com
Emergency Phone No.	Infotrac 24 Hour Emergency Tel, (800) 535-5053
Date of Preparation	May 17, 2017

SECTION 2. HAZARD IDENTIFICATION

Classification

Skin irritation - Category 2; Eye irritation - Category 2B; Skin sensitization - Category 1B

Label Elements



Signal Word:

Warning

Hazard Statement(s):

Causes skin irritation.
May cause an allergic skin reaction.
Causes eye irritation.

Precautionary Statement(s):

Prevention:

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.

Product Identifier:	Self Seal GG-200 - Ver. 1
Date of Preparation:	May 17, 2017
Date of Last Revision:	June 12, 2018

Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash hands thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
Use only outdoors or in a well-ventilated area.

Response:

IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF exposed or concerned: Get medical advice or attention.
If skin irritation or rash occurs: Get medical advice or attention.
If eye irritation persists: Get medical advice/attention.
Specific treatment (see supplemental first aid instruction on this label).
Take off contaminated clothing and wash it before reuse.

Storage:

Store locked up.
Store in a well-ventilated place.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Calcium carbonate	1317-65-3	15.0-40.0	Limestone	
2-Butanone, O,O', O''-(methylsilyldiylne)trioxime	22984-54-9	3.0-7.0	Methyl Tri (methylethylketoxi me)silane	
Silica 2482, hydrophobic	7631-86-9	3.0-7.0	Amorphous Silica	
Titanium dioxide	13463-67-7	0.1-1.0	Titanium (IV) oxide	

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Remove source of exposure or move to fresh air. Get medical advice or attention if you feel unwell.

Skin Contact

Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and

Product Identifier: Self Seal GG-200 - Ver. 1

Date of Preparation: May 17, 2017

Date of Last Revision: June 12, 2018

Page 02 of 08

thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. If skin irritation or a rash occurs, get medical advice or attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. If eye irritation persists, get medical advice or attention.

Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If exposed or concerned, get medical advice or attention.

First-aid Comments

If exposed or concerned, get medical advice or attention.

Most Important Symptoms and Effects, Acute and Delayed

None known.

Immediate Medical Attention and Special Treatment

Special Instructions

Not applicable.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire. Use water to keep non-leaking, fire-exposed containers cool.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Product

Review Section 10 (Stability and Reactivity) for additional information.

In a fire, the following hazardous materials may be generated: very toxic, flammable formaldehyde; silicon oxides; carbon oxides.

Special Protective Equipment and Precautions for Fire-fighters

No special precautions are necessary. Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

It is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway. Minimize the use of water to prevent environmental contamination.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up. Contain and soak up spill with absorbent that does not react with spilled product. Dike spilled product to prevent runoff. Review Section 13 (Disposal Considerations) of this safety data sheet.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Product Identifier: Self Seal GG-200 - Ver. 1

Date of Preparation: May 17, 2017

Date of Last Revision: June 12, 2018

Precautions for Safe Handling

Prevent uncontrolled release of product. No special precautions are necessary.

Conditions for Safe Storage

Store in an area that is: well-ventilated, cool, dry. Store in a closed container.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
2-Butanone, O,O', O''-(methylsilylidyne)trioxime	10 ppm	Not established	Not established	Not established	10 ppm	Not established
Calcium carbonate	Not established	Not established	15 mg/m ³	Not established	Not established	Not established
Silica 2482, hydrophobic	Not established	Not established	10 mg/m ³	Not established	Not established	Not established
Titanium dioxide	10 mg/m ³ A4	Not established	15 mg/m ³	Not established	Not established	Not established

Appropriate Engineering Controls

Use local exhaust ventilation and enclosure, if necessary, to control amount in the air.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: neoprene rubber, nitrile rubber, Silver Shield®.

Respiratory Protection

For non-routine or emergency situations: wear a NIOSH approved air-purifying respirator with an organic vapour cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	viscous paste.
Odour	Aromatic
Odour Threshold	Not available
pH	Not available
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	Not available
Flash Point	Not applicable
Evaporation Rate	Not available
Flammability (solid, gas)	Not applicable
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	< 1 kPa
Vapour Density (air = 1)	> 1
Relative Density (water = 1)	1.31 - 1.33 at 25 °C (77 °F)
Solubility	Not available in water; Not available (in other liquids)

Product Identifier: Self Seal GG-200 - Ver. 1

Date of Preparation: May 17, 2017

Date of Last Revision: June 12, 2018

Page 04 of 08

Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available (kinematic); Not available (dynamic)
Other Information	
Volatile Organic Content	25 g/L, <3% w/w CARB Method 310

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Water, moisture or humidity.

Incompatible Materials

Reacts violently with: strong oxidizing agents (e.g. perchloric acid), strong bases (e.g. sodium hydroxide), strong acids (e.g. hydrochloric acid).

Not corrosive to metals.

Hazardous Decomposition Products

Carbon oxides calcium oxides; metal oxides. silicon oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
2-Butanone, O,O', O''-(methylsilylidyne)trioxime		2463 mg/kg (rat)	> 2000 mg/kg (rat)
Calcium carbonate		> 6450 mg/kg (rat)	
Silica 2482, hydrophobic	> 2.08 mg/L (rat) (dust)	> 3300 mg/kg (rat)	> 5000 mg/kg (rabbit)
Titanium dioxide	> 6820 mg/kg (rat) (4-hour exposure)	> 25000 mg/kg (rat)	> 10000 mg/kg (rabbit)

Skin Corrosion/Irritation

May cause very mild irritation based on information for closely related chemicals.

Serious Eye Damage/Irritation

May cause very mild irritation based on information for closely related chemicals.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May be harmful based on information for closely related materials.

Skin Absorption

Product Identifier: Self Seal GG-200 - Ver. 1
 Date of Preparation: May 17, 2017
 Date of Last Revision: June 12, 2018

No information was located.

Ingestion

May be harmful based on information for closely related materials.

Aspiration Hazard

Not known to be an aspiration hazard.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

Respiratory and/or Skin Sensitization

Not known to be a respiratory sensitizer. Can cause an allergic reaction (skin sensitization) based on animal tests.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butanone, O,O', O''-(methylsilylidyne)trioxime	Not Listed	Not designated	Not Listed	Not Listed
Calcium carbonate	Not Listed	Not designated	Not Listed	Not Listed
Silica 2482, hydrophobic	Group 3	Not Listed	Not Listed	Not Listed
Titanium dioxide	Group 2B	A4	Not Listed	Not Listed

Not known to cause cancer.

Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists. A3 = Animal carcinogen. A4 = Not classifiable as a human carcinogen.

IARC = International Agency for Research on Cancer. Group 2B = Possibly carcinogenic to humans. Group 3 = Not classifiable as to its carcinogenicity to humans.

NTP = National Toxicology Program.

OSHA = US Occupational Safety and Health Administration.

Reproductive Toxicity

Development of Offspring

Not known to harm the unborn child.

Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

Effects on or via Lactation

Not known to cause effects on or via lactation.

Germ Cell Mutagenicity

Not known to be a mutagen.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

Environmental information was not located.

Persistence and Degradability

Does not degrade rapidly based on quantitative tests.

Bioaccumulative Potential

N-Octanol/Water Partition Coefficient (Log Kow): 11.2.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

Product Identifier: Self Seal GG-200 - Ver. 1

Date of Preparation: May 17, 2017

Date of Last Revision: June 12, 2018

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations. Empty containers retain product residue. Follow label warnings even if container appears to be empty.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations. Not regulated under IATA Regulations.

Environmental Hazards Not applicable

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

None known.

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

Additional USA Regulatory Lists

SARA Title III - Section 311/312:

Acute Health Hazard

SARA Title III - Section 302:

Not applicable.

SARA Title III - Section 313:

Not applicable.

Pennsylvania Right To Know:

Dimethyl siloxane, hydroxy terminated

Silicon dioxide

Methyl tri(methylethylketoxime)silane

Calcium Carbonate

Titanium Dioxide

New Jersey Right To Know:

Dimethyl siloxane, hydroxy terminated

Silicon dioxide

Methyl tri(methylethylketoxime)silane

Calcium Carbonate

Titanium Dioxide

California Proposition 65: Not applicable.

SECTION 16. OTHER INFORMATION

Product Identifier: Self Seal GG-200 - Ver. 1

Date of Preparation: May 17, 2017

Date of Last Revision: June 12, 2018

NFPA Rating	Health - 2	Flammability - 1	Instability - 0
SDS Prepared By	Technical Services Department		
Phone No.	519-823-4994		
Date of Preparation	May 17, 2017		
Date of Last Revision	June 12, 2018		
Revision Indicators	Revision 3		
References	CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS). NIOSH Pocket Guide database. National Institute for Occupational Safety and Health. Available from Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and Safety (CCOHS).		
Disclaimer	The information herein is given in good faith, but no warranty, express or implied, is made. Product users should make independent judgements of the suitability of this information to ensure proper use and to protect the health and safety of employees.		

Product Identifier: Self Seal GG-200 - Ver. 1
Date of Preparation: May 17, 2017
Date of Last Revision: June 12, 2018

Page 08 of 08